



# Cut Costs & Greenhouse Emissions



## Cool Roofs Get Big Boost From Philadelphia's New Energy Policy by Michael Magallanes

**E**nergy-efficient, cool roofing systems can significantly reduce roof temperature during the summer, and thereby reduce the building's energy requirements for air conditioning. This helps to cut energy costs by keeping attics and ducts cooler, improving occupant comfort, cutting maintenance costs, increasing the life cycle of the roof, and reducing urban heat island effect, along with associated smog. In fact, reflective materials can help keep a building's surrounding neighborhood cooler.

Endorsement of cool roofs as an effective way to cut energy costs and reduce greenhouse gas took a big leap in May when the city of Philadelphia adopted a cool roof policy. The new policy mandates energy-efficient reflective roofs, or green roofs, on all new commercial and residential build-

ings with no or low slopes.

Philadelphia joins such jurisdictions as Chicago and New York in passing a cool roof law, and the city believes the legislation will greatly improve its overall green

rating as well as save money for residents. City officials believe the new policy will make Philadelphia a better place to live by reducing the heat island effect that many cities experience in the summer. Philadel-



■ Cool roofing systems can significantly reduce roof temperature during the summer, cut energy costs and extend the life cycle of the roof system. (Photo courtesy of Coat'N'Cool.)

■ Urban areas can have higher temperatures than the surrounding areas. The phenomenon is known as the heat island effect.

phia's comprehensive sustainability plan of which the cool roof regulations are a part includes goals to reduce citywide energy consumption by 10 percent and to retrofit 15 percent of the city's housing stock by 2015.

While there are many different products and procedures available in the ever expanding green marketplace, there are some steps that can be taken which are basic yet effective. At the top of the list is the "cool roof," which can be implemented rather easily and at a very reasonable cost. Black and dark-colored roofing materials can increase a building's cooling load, while cool roofs reflect the sun's radiant energy before it penetrates into the interior of the building, reducing the load.

### What Is a Cool Roof?

Cool roofs are roofs consisting of materials that very effectively reflect the sun's



energy from the roof surface. Cool materials for low-slope roofs are mainly bright white in color, although non-white colors are starting to become available for roof applications. Cool roofs must also have high "emissivity," allowing them to emit infrared energy. Bare metals and metallic coatings tend to have low reflectivity and are not considered cool materials.

Solar reflectance and thermal emittance are the two measures used to determine the "coolness" of a roof. Solar Reflectance Index (SRI) of a roofing product is a method for determining the radiative properties of roofing materials. SRI is defined by ASTM Standard E1980-01; the EPA summarizes SRI as "the relative steady-state surface temperature with respect to the

## Quality product selection made easy. Your Solution Center at ABC Supply.

Think of it as your own professional showroom – with comprehensive displays that provide in-depth product information.

Bring in your customers, or make arrangements with one of our knowledgeable professionals to show them the products you specify.

Give your clients a thorough, satisfying product selection experience in a comfortable, professional setting, while saving your own time and energy.

Set your business apart. Try the ABC Solution Center, where easy just got easier.

### The Solution

### To Product Selection




To find the ABC branch nearest you,  
Call 800-786-1210 or  
visit [www.abcsupply.com](http://www.abcsupply.com)



Roofing • Siding • Windows • Tools • Gutter • Accessories • and More

## Cool Roofs



■ Approximately 3,500 Walmart stores have white roofs, which are now part of their new store prototype. (Photo courtesy of Walmart.)

standard white (SRI = 100) and standard black (SRI = 0) under the standard solar and ambient conditions.”

White reflective coatings contain transparent polymeric materials, such as acrylic, and a white pigment, such as titanium dioxide (rutile), to make them opaque and reflective. These coatings typically reflect 70 to 80 percent of the sun’s energy. Despite the white appearance, these pigments absorb the 5 percent or so of the sun’s

energy that falls in the ultraviolet spectrum. Thus, the pigments help protect the polymer material and the substrate underneath from UV damage. As long as the coating is white or light-colored, the roof will have high reflectance and emittance levels.

If you as a building owner or manager decide to go in the cool roof direction, here are some factors to consider:

- Look for these important properties when selecting a roof material: high solar

reflectance, endurance of high reflectance over time, and high emittance. High emittance lowers the roof temperature by increasing the release of heat by thermal radiation. For a high-reflective roof, avoid untreated metal roofs and aluminum coatings. If installing a metal roof, make sure it is painted a light color (not a clear coating) and is rated by the Cool Roof Rating Council.

- Evaluate your climate. Do heating or cooling loads dominate your energy usage? If cooling dominates, you may be a good candidate for a new energy-efficient roof.

- Determine what makes more sense economically: transforming your existing roof into a cool roof by coating it with a cool roof product, or replacing your roof entirely with a manufactured cool roof. While it may make more sense to replace an older roof near the end of its life cycle, a newer roof still in good shape can be economically transformed into a cool roof that will rival the effectiveness of a new, manufactured cool roof.



**Install panel clips  
in half the time.**

The Simpson Strong-Tie® Quik Drive® PROPP150 will change the way you fasten standing-seam metal roofing. Unlike traditional fastening methods, the tool features the patent-pending Precision Placement™ nosepiece which enables precise placement of collated screws in standing-seam panel clips. The unique design of the nosepiece makes it easy to find the holes in the clip and drive the screws in half the time required for individual fasteners.

Quik Drive auto-feed screw driving systems provide innovative solutions that save you time and improve your bottom line. For more information visit [www.strongtie.com/quikdrive](http://www.strongtie.com/quikdrive) or call (800) 999-5099.



**SIMPSON**  
**Strong-Tie**

■ Some Walmart locations combine a white roof with skylights and more efficient lighting to take advantage of natural daylight. (Photo courtesy of Walmart.)

## Types of Cool Roofs

There are four broad categories of roofing materials that can be used to upgrade a roof's reflectivity to ENERGY STAR levels: metal, tile, roofing membranes and reflective coatings. Of the four, a reflective coating may be the most economically achievable for existing buildings because it doesn't require any significant retrofitting of the structure, which can be costly and time-consuming.

Exact energy and money savings for each type of cool roof will depend on a number of factors, such as the type and efficiency of insulation in the ceilings and exterior walls; the windows; the efficiency of the cooling system; and, most importantly, the climate of the building's location. Based on our experience with our Coat'N'Cool product, a reflective coating can lower the interior temperature of a commercial or industrial build-



ing by 8 degrees to 12 degrees Fahrenheit during the hottest four hours of a summer day (noon to four in the afternoon). Not only does the lower interior temperature help reduce energy costs, it also improves worker productivity, especially in a non-air conditioned space, by creating a working environment that is more comfortable.

## Benefits to Surrounding Neighborhoods

A cool roof not only benefits the building or buildings on which it is installed, but also the surrounding neighborhood. In the summer, major urban areas become heat islands where temperatures can soar

*Continued on page 68*

## It's one thing to promise world-class service, and another to deliver it.

That's why ABC developed the Customer Service Delivery System (CSDS) – a standardized, disciplined series of practices and procedures designed to ensure accuracy and minimize errors.

CSDS begins with precise, comprehensive order taking. If you are picking up an order, we'll have you loaded and back to your job site promptly.


You can schedule your crews with confidence, because we'll plan deliveries around your needs, double-check every load, call when it's complete, and even document the delivery with digital pictures.

We stake our reputation on service. Experience the CSDS difference at ABC Supply.

**World-Class Service**

**ABC**  
Supply Co. Inc.

To find the ABC branch nearest you,  
Call 800-786-1210 or  
visit [www.abcsupply.com](http://www.abcsupply.com)



**ABC's Promise To You**

Roofing • Siding • Windows • Tools • Gutter • Accessories • and More

## Cool Roofs

Continued from page 61

4 degrees to 8 degrees above the temperature in the surrounding area. This rise in temperature corresponds to a rise in harmful ozone, and therefore smog levels in the urban air. For every degree above 70 degrees, the incidence of smog increases 3 percent.

However, a city populated with buildings with reflective roofs will not experience this effect as strongly. A recent study by the Lawrence Berkeley National Laboratory (LBNL)'s Heat Island Group found that if the buildings in Los Angeles were upgraded with reflective roofs, the city could save \$35 million per year in energy costs.

Walmart is enjoying significant cost savings thanks to cool roofs. Approximately 3,500 Walmart stores have white roofs and officials say that they are now part of their new store prototype.

"At Walmart, we are always looking to make our buildings and operations more efficient. The white roofs definitely help reduce building energy consumption," said Kory Lundberg, spokesperson for Walmart. "We have taken it a step further by combining the white roofs with a daylight harvesting system. By integrating more efficient lighting, electronic continuous dimming ballasts, computer-controlled daylight sensors, and skylights, we take full advantage of natural daylight. Daylight harvesting can reduce up to 75 percent of the electric lighting energy used in a store during daylight hours."

### Tax Incentives and Codes

The federal government is offering through its Tax Incentive Assistance Project a tax deduction of up to \$1.80 per square foot to owners or tenants (or designers, in the case of government-owned buildings) of new or existing commercial buildings that are constructed or reconstructed to save at least 50 percent of the heating, cooling, ventilation, water heating, and interior lighting energy cost of a building that meets ASHRAE Standard 90.1-2001.

Only buildings covered by the scope of ASHRAE Standard 90.1-2001 are eligible.

Partial deductions of 60 cents per square foot can be taken for improvements to one of three building systems that reduce total heating, cooling, ventilation, water heating and interior lighting energy use by a certain percentage — the building envelope (10 percent), lighting (20 percent), or heating and cooling system (20 percent). These deductions are available for buildings or systems placed in service from January 1, 2006, through December 31, 2013.

A key set of codes for cool roofs has been established by the American Society of Heating, Refrigerating, and Air-Conditioning Engineers in its ASHRAE

for Certain Variegated Products. Thermal emittance is measured in accordance with ASTM C1371. A product's placement on the directory does not mean that the product is "cool" as defined by any particular code body or program.

- LEED: Leadership in Energy and Environmental Design is the US Green Building Council's Green Building Rating System, a voluntary certification program for sustainable buildings. LEED has several different systems, including one for new construction and existing buildings. LEED for new construction and major renovations (LEED-NC) - Version


2.2 - gives credit for a cool roof under "Sustainable Site Credit 7.2: Heat Island Effect: Roof." LEED-NC credits roofs with a Solar Reflectance Index value greater than or equal to 78 for low-slope roofs, and 29 for steep-slope roofs. LEED for Existing Buildings (LEED-EB) Version 2 gives credit for a cool roof under "Sustainable Site Credit 6.2: Heat Island Reduction: Roof." LEED-EB gives credit for a roof that is an ENERGY STAR-compliant roofing material that has a minimum thermal emittance of 0.90.

- ENERGY STAR: Roof products qualify for the ENERGY

STAR label based on their solar reflectance, without compromising product quality and performance. ENERGY STAR labeled roofs are more common on commercial buildings but can also be used on residential homes.

You'll get the most benefit if you live in hot sunny climates where you are using your air conditioning a lot. If your house is already shaded and the roof is not exposed to much sun, then a reflective roof may not provide a significant benefit. The benefits will also be lessened if the attic space is well insulated. ■

*Michael Magallanes is Vice President of Sales for Coat'N'Cool, a Yorba Linda, Calif.-based manufacturer of a proprietary cool roof coating product. He can be reached at mike@coatncool.com.*



■ Cool roofs very effectively reflect the sun's energy from the roof surface and have high thermal emittance as well.

Standard 90.1-2001. Other codes and rating systems are offered by the following organizations:

- Cool Roof Rating Council: The CRRC administers a rating program in which companies can label roof surface products with radiative property values. The CRRC does not set a minimum definition for "cool"; the CRRC simply lists the measured radiative property values on its directory. However, a cool roof product that provides 70 percent reflectivity and 75 percent emissivity is effective. Any roofing product can be tested as long as it is in compliance with the Product Rating Program Manual (CRRC-1). All radiative property testing is conducted by accredited testing laboratories. Solar reflectance can be measured in accordance with ASTM test methods C1549, E1918, E903 and CRRC-1 Method No. 1: Test Method